

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		"290"/\$.ccls. and (load near sensor) and (load near10 (need\$4 requir\$5) near12 (power) near12 (alternator generator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 12:24
L1	8	(("4182960") or ("5333703") or ("6700214") or ("6534958") or ("4961403") or ("5954040") or ("5276624") or ("5432413")).PN.	USPAT	OR	OFF	2005/06/09 08:52
L2	3	1 and spark\$	USPAT	OR	ON	2005/06/09 08:52
L4	1464	290/1r.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 11:22
L5	305	290/1a.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 11:22
L6	796	290/2.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 11:22
L7	387	322/17.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 11:23
L8	900	322/99.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 11:23
L9	663	123/479.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 11:23

S1	14	(("3,703,162") or ("5,199,397") or ("5,333,703") or ("5,576,739") or ("5,583,413") or ("5,656,919") or ("5,752,818") or ("5,838,243") or ("5,844,326") or ("5,895,440") or ("5,939,855") or ("5,941,699") or ("6,040,636") or ("6,392,312")).PN.	USPAT	OR	OFF	2005/06/08 13:30
S2	3	(("20020096886") or ("20030015875") or ("20040199297")).PN.	US-PGPUB; USPAT	OR	OFF	2005/06/07 14:39
S3	2	(priem near3 dan).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 15:04
S4	45	290/1a.ccls. and generator and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 15:19
S5	102	290/1r.ccls. and generator and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 07:23
S6	34	"290"/\$.ccls. and (generator near3 controller) and (generator near10 automatic\$4) and sensor and (smoke exhaust)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 07:25
S7	12	"322"/\$.ccls. and (generator near3 controller) and (generator near10 automatic\$4) and sensor and (smoke exhaust)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 08:31
S8	1	"290"/\$.ccls. and (reluctance near3 sensor) and (engine near3 sensor) and (sensor and (smoke exhaust)) and ((rpm rotational) near3 sensor) and (ignition near3 sensor) and ((carbon monoxide) near3 sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 08:35

S9	1	(reluctance near3 sensor) and (engine near3 sensor) and (sensor and (smoke exhaust)) and ((rpm rotational) near3 sensor) and (ignition near3 sensor) and ((carbon monoxide) near3 sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 08:35
S10	8	(reluctance near3 sensor) and (engine near3 sensor) and (sensor and (smoke exhaust)) and ((rpm rotational) near3 sensor) and ((carbon monoxide) near3 sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 08:37
S11	8	(reluctance near7 sensor) and (engine near3 sensor) and (sensor near7 (smoke exhaust)) and ((rpm rotational) near7 sensor) and ((carbon monoxide) near7 sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 08:41
S12	1	"290"/\$.ccls. and (engine near3 sensor) and (sensor near7 (smoke exhaust)) and ((rpm rotational) near7 sensor) and ((carbon monoxide) near7 sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 08:41
S13	0	"322"/\$.ccls. and (engine near3 sensor) and (sensor near7 (smoke exhaust)) and ((rpm rotational) near7 sensor) and ((carbon monoxide) near7 sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 08:42
S14	0	"307"/\$.ccls. and (engine near3 sensor) and (sensor near7 (smoke exhaust)) and ((rpm rotational) near7 sensor) and ((carbon monoxide) near7 sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 08:42
S15	23	"123"/\$.ccls. and (engine near3 sensor) and (sensor near7 (smoke exhaust)) and ((rpm rotational) near7 sensor) and ((carbon monoxide) near7 sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 08:55
S16	1	S15 and detect\$4 near7:rotati\$5 near7 (tire wheel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 08:56

S17	26	(engine adj3 sensor) and (sensor near7 (smoke exhaust)) and ((rpm rotational) adj7 sensor) and ((carbon monoxide) adj7 sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 08:56
S18	3	S17 and detect\$4 near7 rotati\$5 near7 (tire wheel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 08:58
S19	1	(ignition near5 key near5 sensor) and detect\$4 near7 rotati\$5 near7 (tire wheel) and (reluctance near5 sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 09:01
S20	1	(ignition near5 key near5 sensor) and (reluctance near5 sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 09:01
S21	18	(ignition near5 key near5 sensor) and detect\$4 near7 rotati\$5 near7 (tire wheel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 11:21
S22	11	S21 and transmission near7 detect\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 09:26
S23	42	(recreational near5 vehicle) and (generator near3 controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 09:43
S24	6	(recreational near5 vehicle) and (exhaust) near7 (hazard)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 09:46

S25	2	(disabl\$4 off) near10 (generator actuator) near10 ((exhaust) near7 (hazard))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 09:51
S26	2	(disabl\$4 off) near10 (generator actuator circuit) near10 ((exhaust) near7 (hazard))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 09:51
S27	9	(disabl\$4 off) near10 (generator actuator circuit) near10 ((exhaust) near7 (hazard limit threshold))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 09:55
S28	18	(disabl\$4 off detect\$4) near10 (generator actuator circuit) near10 ((exhaust) near7 (hazard limit threshold))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 10:55
S29	27	"290"/\$.ccls. and (recreational near3 vehicle) and generator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 12:07

S30	98	((("4831310") or ("4805576") or ("4850325") or ("4277738") or ("4345199") or ("4360772") or ("4360773") or ("4361796") or ("5659240") or ("5892342") or ("6157175") or ("6346797") or ("6456514") or ("4459954") or ("4168516") or ("4253347") or ("4901239") or ("5594173") or ("4262212") or ("4481585") or ("4492196") or ("4794285") or ("4886978") or ("4934158") or ("5189361") or ("5235213") or ("5545928") or ("5708318") or ("5828155") or ("5847277") or ("5960761") or ("6112860") or ("6147430") or ("6177738") or ("6239518") or ("4362983") or ("4866376") or ("5250849") or ("6252753") or ("6400101") or ("5186525") or ("5248190") or ("5908460") or ("6008604") or ("6249737") or ("6382041") or ("5634774") or ("4304003") or ("4429733") or ("4432445).pn.") or ("4765450") or ("4964274") or ("4973902") or ("5205582") or ("5319515") or ("5511859") or ("5588463") or ("5900529") or ("5954779") or ("6038500") or ("5865498") or ("4760323") or ("H000967") or ("5247553") or ("5648957") or ("6158533") or ("6328119") or ("6267975") or ("6271014") or ("6322801") or ("6417308") or ("6428799") or ("4389608") or ("4584515") or ("5369540") or ("5706185") or ("4042864") or ("4098542") or ("4374355") or ("4454455") or ("4613808") or ("4623833") or ("4791337") or ("4965432") or ("5270896") or ("5270897") or ("5341083") or ("5382946") or ("5438237") or ("5499186") or ("5521788") or ("5529114") or ("5581171") or ("5701038") or ("5701177") or ("5831409") or ("5900734") or ("5916289") or ("6011399") or ("6040765).pn.")) PN.	USPAT	OR	OFF	2005/06/08 12:23
-----	----	--	-------	----	-----	------------------

S31	4	"290"/\$.ccls. and (load near sensor) and (load) near10 (need\$4 requir\$5) near12 (power) near12 (alternator generator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 12:29
S32	2	"20040199297"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 12:31
S33	2	(scott near3 schaper).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 12:32
S34	10	(donald near3 aupperle).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 12:32
S35	14	(("3,703,162") or ("5,199,397") or ("5,333,703") or ("5,576,739") or ("5,583,413") or ("5,656,919") or ("5,752,818") or ("5,838,243") or ("5,844,326") or ("5,895,440") or ("5,939,855") or ("5,941,699") or ("6,040,636") or ("6,392,312")).PN.	USPAT	OR	OFF	2005/06/08 13:46
S36	5	S35 and (generator alternator)	USPAT	OR	ON	2005/06/08 13:30
S37	11	S35 and (disabl\$4 off)	USPAT	OR	OFF	2005/06/08 13:35
S38	7	(("4182960") or ("5333703") or ("6700214") or ("6534958") or ("4961403") or ("5954040") or ("5276624")).PN.	USPAT	OR	OFF	2005/06/09 07:47
S39	1	S38 and diesel	USPAT	OR	ON	2005/06/08 14:12
S40	0	S38 and reluctance near3 sens\$4	USPAT	OR	ON	2005/06/08 13:51
S41	1	290/1r.ccls. and reluctance near3 sensor	USPAT	OR	ON	2005/06/08 13:52
S42	12	"290"/\$.ccls. and reluctance near3 sensor	USPAT	OR	ON	2005/06/08 13:52
S43	3	S38 and voltage near7 (sens\$4 monitor\$4)	USPAT	OR	ON	2005/06/08 14:12
S44	7	(("4182960") or ("5333703") or ("6700214") or ("6534958") or ("4961403") or ("5954040") or ("5276624")).PN.	USPAT	OR	OFF	2005/06/09 08:51